

NRC Role at Saltstone

Monitoring Activities and the PA Review

George Alexander, Systems Performance Analyst
Performance Assessment Branch
Nuclear Regulatory Commission

January 25, 2011



Objectives

- Role of NRC at SRS
- Saltstone Monitoring
- Saltstone Performance Assessment Review





Role of NRC at SRS

Key Points

- Section 3116, National Defense Authorization Act for Fiscal Year 2005 (NDAA)
 - Consultation
 - Monitoring
- NUREG-1854 Staff Guidance on DOE Waste Determinations
- NUREG-1911 Annual NDAA Monitoring Report



Monitoring NRC Process

- Evaluation of reasonable assurance that DOE can meet the performance objectives of 10 CFR Part 61
 - § 61.41: Protection of the general population from releases of radioactivity [25 mrem]
 - § 61.42: Protection of individuals from inadvertent intrusion [500 mrem]
 - § 61.43: Protection of individuals during operations
 - § 61.44: Stability of the disposal site after closure
- Chapter 10 of NUREG-1854 (staff guidance) provides a detailed description of NRC's monitoring program





History of Saltstone Project

NRC/DOE NDAA Activities

- 2005 NRC Review of Saltstone PA identified numerous key assumptions and data gaps
- NRC review concluded that the performance objectives could be met if key assumptions are valid
- Research has been developed further by DOE since 2005
- NRC has reviewed data as the reports have been made available
- NRC staff is currently reviewing the revised PA





Saltstone Monitoring Plan

Key Factors Important to Assessing Compliance

- Factor 1: Oxidation of Saltstone
- Factor 2: Hydraulic Isolation of Saltstone
- Factor 3: Model Support
- Factor 4: Erosion Control Design
- Factor 5: Infiltration Barrier Performance
- Factor 6: Feed Tank Sampling
- Factor 7: Tank 48 Wasteform
- Factor 8: Removal Efficiencies





DOE Research

Results

Research Topic	Description of Results		
Hydraulic properties of saltstone	 Research has indicated that the assumed hydraulic conductivity in the 2005 PA was optimistic 		
Physical integrity of saltstone	 Cracking of saltstone in Vault 4 has been observed Core samples crumbled when removed from the monolith 		
Fracturing of vault walls	 2005 PA assumed the vault walls would serve as a diffusive and flow barrier, but radioactive liquid has seeped through Vault 4 walls 		
Reduction and retention of Tc in saltstone	 SRS lab experiments have not been provided to the NRC that demonstrate Tc is reduced and retained 		
Inventory of Th-230/Ra-226	 Ra-226 drives the dose in the current PA, but it was not identified as a key radionuclide in 2005 PA 2005 PA assumed 0.0353 Ci Th-230 and 13 Ci Ra-226 for SDF 2009 PA assumed 20 Ci Th-230 and 4.1 Ci Ra-226 for SDF 		





Saltstone PA Review

RAI-2009-02 Description

Comment Topics	Performance Objectives	Technical Concerns		
Performance Assessment Methods	61.41 61.42 61.44	Base Case Assumptions; Model Support; Synergistic Case; Hybrid Approach; Calcareous Zones; Benchmarking;		
Inventory	61.41 61.42 61.43	Th-230 and Ra-226; Uncertainty; Distribution; Feed Tank and Sampling		
Infiltration and 61.41 Erosion Control 61.42 61.44		Lateral Drainage Layer		
Saltstone 61.41 Performance 61.42		Hydraulic properties; Longevity of Reducing Conditions and Tc-99 Release; Sorption; Diffusion		
Vault Performance 61.41 61.42 61.44		Degradation Mechanisms; Reducing Capacity; Observations; Bypassing Flow		
Far-field transport	61.41	Sorption; Calcareous Zones		
Inadvertent Intrusion	61.42	Pathways; Basis for Calculation		
Biosphere	61.41	Transfer Factors; Pathways; Ingestion Rate		

10 CFR Part 61, Subpart C – Performance Objectives

- 61.41 Protection of the general population from releases of radioactivity
- 61.42 Protection of individuals from inadvertent intrusion
- 61.43 Protection of individuals during operations
- 61.44 Stability of the disposal site after closure





Model Assumptions

Base Case (Case A)

- Inconsistent with known conditions
- Limited model support
- Inadequate accounting of uncertainty (e.g., one-off sensitivity analyses)
- Technical concerns
 - Technetium reduction and retention
 - Hydraulic conductivity of saltstone and vaults
 - Moisture characteristic curves
 - Lateral drainage layer performance
 - Degradation of vaults and saltstone





Technetium Release from Saltstone

- The release of technetium is based on its oxidation state. Under reducing conditions, it is expected that technetium will sorb strongly. If technetium is not reduced and retained, the dose is likely to be high.
- Saltstone contains slag to create reducing conditions and retain technetium, but based on the data received to date the reduction and retention of Tc-99 in saltstone is not clear.

Assumed K	ζ _d values - (mL/g)	K _d Values Measured by SRS - (mL/g)			
2005 PA (1)	2009 PA (1)	SRNS-STI-2008-00045 sample exposed to air (2)	SRNS-STI-2008-00045 sample under N_2 (3)	SRNL-STI-2009-00636 (4)	
1000	1000 – 5000	0.16 - 0.93	6.5 - 91.3	9.1 - 56	

- (1) based on literature information published by Bradbury and Sarrott (1995). The basis for these values is a report by Bayliss et al. that contained a strong reducing agent, sodium dithionite. In addition, this paper appears to be a conference presentation and may not have been peer reviewed.
- (2) from Table 2
- (3) from Table 3. Note that this data is reported with the following comment: "quality of the spectra generated for the analyses was compromised by the U-233 peak shift into the Tc-99 region of the spectra"
- (4) note that this K_d value is reported incorrectly in the abstract to this document



Hydraulic Conductivity

Vaara	Conduc	d Hydraulic ctivity, K at 5 (cm/s)	Hydraulic Conductivity Measurements – (cm/s)				
Years	2005 PA	5 PA 2009 PA	WSRC-STI- 2007-00649 ¹ (no CO ₂)	WSRC-STI- 2008-00421 ¹	WSRC-STI- 2009-00419 ^{1,2} (at 60°C)	Core Sample	
Initial	1.0 E-11	2.0 E-9	6.0 E-9 to 3.0 E-8	1.2 E-9 to 8.8 E-8	8.6 E-7	TBD	
10000	1.0 E-9	2.0 E-9					

¹Samples did not account for (i) scale, (ii) field-emplacement, (iii) CO₂, (iv) permeability evolution ²Accounted for organics, admixtures, and a cure temperature of 60°C







Conceptual Model - Vault 4

NRC interpretation of DOE Base Case

Known conditions with uncertainty







Revisions to Base Case


Revisions:

- Moisture characteristic curves (MCC) for cementitious materials
- Hydraulic conductivity (K) for lateral drainage layer (LDL), clean grout, and saltstone


Outstanding:

- Fracturing of saltstone and vaults
- Flow through the walls
- Hydraulic conductivity values that account for degradation, scale, field-emplacement, CO₂ contamination, and permeability evolution

Flow through saltstone grout at 500 years



- 1 Base Case
- 2 Revised:
- MCC for Saltstone and Clean Grout
- 3 Revised:
- LDL
- 4 Revised:
- K for Saltstone and Clean Grout
- 5 Revised:
- LDL
- K and MCC for Saltstone and Clean Grout





Alternative Analyses

Synergistic Case

- Assumptions
 - Earlier degradation of the closure cap
 - Degradation of the vaults at year 500
 - Fractured saltstone at closure
- Conservatism of the synergistic case is unclear (e.g., flow through saltstone, reducing capacity, biosphere parameters)

Hybrid Approach

 Concerns with implementation (e.g., coupling of PORFLOW and GoldSim models, probability of cases, benchmarking of certain radionuclides)

Limited bases for parameter distributions (e.g., inventory, K_d values)



Summary

NDAA History of Saltstone Project

- Monitoring plan based on TER for 2005 WD
- DOE performed research in the area of key factors
- NRC reviews research as it is available
- Previous assumptions demonstrate optimistic bias
- NRC has been reviewing 2009 PA since Nov 2009





Summary (cont.)

NRC requested additional information to address questions and concerns:

- Review was risk-informed and focused on key assumptions
- Current RAIs address the following issues:
 - Degree of compatibility between the conceptual model and mathematical model
 - As built conditions
 - Degradation processes over time
 - Flow through system
 - Basis for key data and parameters assumed in the model
 - Additional model support for key assumptions in the model



Questions?

